



Prepared to U.S. OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian WorkSafe, Japanese Industrial Standard JIS Z 7250:2000, and European Directives

**1. PRODUCT IDENTIFICATION**

<b>TRADE NAME (AS LABELED):</b>	<b>NX 300 Winter Part A</b>
<b>SYNONYMS:</b>	None known
<b>CAS#:</b>	Mixture
<b>PRODUCT USE:</b>	This product is used for floor coating
<b>CHEMICAL SHIPPING NAME/CLASS:</b>	See Section 14 for Details
<b>U.N. NUMBER:</b>	NA1993
<b>MANUFACTURER'S NAME:</b>	Bayvex Technologies
<b>ADDRESS:</b>	8231 214 <sup>th</sup> Street W, Lakeville, MN 55044
<b>BUSINESS PHONE #:</b>	1-952-491-0024
<b>EMERGENCY PHONE #:</b>	1-952-491-0024
<b>DISTRIBUTOR NAME:</b>	Penntek Industrial Coatings
<b>ADDRESS:</b>	7850 Lakeville Blvd., Lakeville, MN 55044
<b>BUSINESS PHONE #:</b>	1-844-290-9364
<b>EMERGENCY PHONE #:</b>	1-844-290-9364
<b>DATE OF CURRENT REVISION:</b>	November 10, 2021
<b>DATE OF LAST REVISION:</b>	New

**2. HAZARD IDENTIFICATION**

**EMERGENCY OVERVIEW:** This product is a semi-transparent liquid with a slight solvent odor.

**Health Hazards:** Prolonged or repeated exposure may cause irritation to skin. May cause allergic skin reaction. May cause irritation to eyes upon contact with redness and tearing. Ingestion of this product may cause gastrointestinal irritation.

**Flammability Hazards:** This product is a Flammable liquid with a flash point of >172.4°F (>78°C)

**Reactivity Hazards:** None known

**Environmental Hazards:** The Environmental effects of this product have not been investigated. Release of this product may have adverse long term effects in the aquatic environment.

US DOT SYMBOLS



CANADA (WHMIS) SYMBOLS

Complies with WHMIS 2015

EUROPEAN and (GHS) Hazard Symbols

Signal Word: **Danger!****CLASSIFICATION OF SUBSTANCE OR MIXTURE IN ACCORDANCE WITH 29 CFR 1910.1200 (OSHA HCS) AND THE EUROPEAN UNION DIRECTIVES:**

This product does meet the definition of a hazardous substance or preparation as defined by OSHA in 29 CFR 1910.1200 or the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives.

**EU HAZARD CLASSIFICATION OF INGREDIENTS PER DIRECTIVE 1272/2008/EC:****EC# 429-270-1 Annex VI Index# 607-521-00-8****EC# 412-060-9 Annex VI Index# 607-350-00-9****EC# 202-681-1 is classified in EINECS****EC# 500-183-1 is not classified in EINECS****EC# 265-067-2 Annex VI Index# 649-275-00-4**

Substances not listed either individually or in group entries must be self classified.

**Component(s) Contributing to Classification(s)**

All Ingredients

**GHS Hazard Classification(s):**

Flammable Liquid Category 4

Acute Oral Toxicity Category 4

Skin Irritant Category 2

Skin Sensitizer Category 1

Eye Irritant Category 2

Acute Inhalation Toxicity Category 4

Respiratory Sensitizer Category 1

STOT SE Category 3

Germ Cell Mutagenicity Category 1B



Carcinogenicity Category 1B  
 Aquatic Toxicity Category 3

**Hazard Statement(s):**

H227: Combustible liquid  
 H302: Harmful if swallowed  
 H315: Causes skin irritation  
 H317: May cause an allergic skin reaction  
 H319: Causes serious eye irritation  
 H332: Harmful if inhaled  
 H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled  
 H335: May cause respiratory irritation  
 H340: May cause genetic defects  
 H350: May cause cancer  
 H412: Harmful to aquatic life with long lasting effects

**Response Statement(s):**

P301+P312: IF SWALLOWED: Call a Poison Center/Doctor  
 P302+p352: IF ON SKIN: Wash with plenty of water.  
 P332+P313: If skin irritation occurs: Get medical advice/attention.  
 P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P337+P313: If eye irritation persists: Get medical advice/attention.  
 P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
 P308+P313: IF exposed or concerned: Get medical advice/attention.

**Storage Statement(s):**

P403+P235: Store in a well-ventilated place. Keep cool.  
 P404: Store in a closed container

**Disposal Statement(s):**

P501: Dispose of contents/container in accordance with local/national/international regulations.

**Other Known Hazard(s):**

This mixture does not meet the criteria for PBT or vPvB in accordance with Annex VI.  
 No other hazards known

**HEALTH HAZARDS OR RISKS FROM EXPOSURE:**

**SYMPTOMS OF OVEREXPOSURE BY ROUTE OF EXPOSURE:** The most significant routes of overexposure for this product are by contact with skin or eyes, inhalation of vapors and ingestion. The symptoms of overexposure are described below.

**ACUTE:**

**INHALATION:** Inhalation of vapors/mist/spray may cause respiratory irritation. May cause allergy or asthma symptoms or breathing difficulties.  
**CONTACT WITH SKIN:** Prolonged and repeated contact may cause irritation to skin. May cause allergic skin reaction.  
**EYE CONTACT:** Direct eye contact can cause irritation with redness, tearing and blurred vision.  
**INGESTION:** Under normal conditions of intended use, this material is not expected to be an ingestion hazard. Ingestion of large quantities may cause gastrointestinal irritation, nausea and vomiting.

**CHRONIC:** None known

**TARGET ORGANS:** Acute: Skin, Respiratory System and Eyes

Chronic: None known

**3. COMPOSITION AND INFORMATION ON INGREDIENTS**

Hazardous Ingredients:	WT%	CAS#	EINECS #	Hazard Classification
Polyester Polyurea Resin	28 - 32%	136210-30-5	429-270-1	H317: Skin Sensitization Cat 1, H412: Hazardous to the aquatic environment, with long term effects Cat 3
Bis(4-(1,2-bis(ethoxycarbonyl)ethylamino)-3-methylcyclohexyl)methane	54 – 58%	136210-32-7	412-060-9	H317: Skin Sensitization Cat 1, H412: Hazardous to the aquatic environment, with long term effects Cat 3



1-Chloro-4-(Trifluoromethyl)Benzene	12 – 17%	98-56-6	202-681-1	H226: Flammable Liquid Cat 3, H315: Skin Irritant Cat 2, H317: Skin Sensitizer Cat 1, H319: Eye Irritant Cat 2, H335: STOT SE Cat 3, H412: Hazardous to the aquatic environment, with long term effects Cat 3
Hydrogenated Polydecene	0.0 – 0.6%	68037-01-4	500-183-1	Not Classified
Naphtha, Petroleum, Heavy Alkylate	0.0 – 0.6%	64741-65-7	265-067-2	H350: Carcinogenic Cat 1B, H340: Germ Cell Mutagenicity Cat 1B
Balance of other ingredients is less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).				

NOTE: This product has been classified in accordance with the hazard criteria of 29CFR1910.1200 and the SDS contains all the information required by the CPR, EU Directives and the Japanese Industrial Standard JIS Z 7250: 2000.

#### 4. FIRST-AID MEASURES

**EYE CONTACT:** If product enters the eyes, open eyes while under gentle running water. Remove contact lenses if easy to do and continue rinsing for at least 15 minutes. Seek medical attention if irritation persists.

**SKIN CONTACT:** Wash skin thoroughly with soap and water after handling. Seek medical attention if irritation develops and persists.

**INHALATION:** If breathing becomes difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital functions. Seek medical attention.

**INGESTION:** If product is swallowed, call physician or poison control center for most current information. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or SDS with the victim to the health professional.

**MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:** Pre-existing skin or respiratory conditions may be aggravated.

**RECOMMENDATIONS TO PHYSICIANS:** Treat symptoms and eliminate overexposure.

#### 5. FIRE-FIGHTING MEASURES

**FLASH POINT:** Flammable liquid with flash point >172.4°F (>78°C)

**AUTOIGNITION TEMPERATURE:** Not Available

**FLAMMABLE LIMITS (in air by volume, %):** Lower NA Upper NA

**FIRE EXTINGUISHING MATERIALS:** Use fire extinguishing methods below:

Water Spray: Yes

Carbon Dioxide: Yes

Foam: Yes

Dry Chemical: Yes

Halon: Yes

Other: Any "C" Class


**UNUSUAL FIRE AND EXPLOSION HAZARDS:** None known

Explosion Sensitivity to Mechanical Impact: No

Explosion Sensitivity to Static Discharge: No

**SPECIAL FIRE-FIGHTING PROCEDURES:** Incipient fire responders should wear eye protection. Structural firefighters must wear Self-Contained Breathing Apparatus and full protective equipment. Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas.

#### NFPA RATING SYSTEM



#### HMIS RATING SYSTEM

HAZARDOUS MATERIAL IDENTIFICATION SYSTEM			
HEALTH HAZARD (BLUE)			2
FLAMMABILITY HAZARD (RED)			2
PHYSICAL HAZARD (YELLOW)			0
PROTECTIVE EQUIPMENT			
EYES	RESPIRATORY	HANDS	BODY
	See Sect 8		See Sect 8

For Routine Industrial Use and Handling Applications

**Hazard Scale:** 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe \* = Chronic hazard



## 6. ACCIDENTAL RELEASE MEASURES

**SPILL AND LEAK RESPONSE:** Stop the flow of material, if this can be done safely. Contain discharged material. Absorb spill using an absorbent, non-combustible material such as earth, sand, or vermiculite. Place in a proper container for disposal. Dispose of in accordance with U.S. Federal, State, and local hazardous waste disposal regulations and those of Canada and its Provinces, those of Australia, Japan and EU Member States (see Section 13, Disposal Considerations).

## 7. HANDLING and STORAGE

**WORK PRACTICES AND HYGIENE PRACTICES:** As with all chemicals, avoid getting this product ON YOU or IN YOU. Ensure adequate ventilation. Wash thoroughly after handling this product. Use good hygiene practices.

**STORAGE AND HANDLING PRACTICES:** Store in original container. Keep container closed when not in use. Store in a cool, dry location.

## 8. EXPOSURE CONTROLS - PERSONAL PROTECTION

### EXPOSURE LIMITS:

Chemical Name	CAS#	ACGIH TLV	OSHA TWA
Polyester Polyurea Resin	136210-30-5	Not Listed	Not Listed
Bis(4-(1,2-bis(ethoxycarbonyl)ethylamino)-3-methylcyclohexyl)methane	136210-32-7	Not Listed	Not Listed
1-Chloro-4-(Trifluoromethyl)Benzene	98-56-6	2.5 mg/m <sup>3</sup>	2.5 mg/m <sup>3</sup>
Hydrogenated Polydecene	68037-01-4	Not Listed	Not Listed
Naphtha, Petroleum, Heavy Alkylate	64741-65-7	Not Listed	Not Listed

**VENTILATION AND ENGINEERING CONTROLS:** Use with adequate ventilation to ensure exposure levels are maintained below the limits provided above.

*The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standard of Canada, or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.*

**RESPIRATORY PROTECTION:** Always use in adequately ventilated area. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states.

**EYE PROTECTION:** Safety glasses or goggles are recommended to avoid eye contact. If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian Standards, and the European Standard EN166, Australian Standards, or relevant Japanese Standards.

**SKIN PROTECTION:** Wear impervious gloves for prolonged or repeated exposure as appropriate to task avoid when using this product. If necessary, refer to U.S. OSHA 29 CFR 1910.138, the European Standard DIN EN 374, the appropriate Standards of Canada, Australian Standards, or relevant Japanese Standards.

**BODY PROTECTION:** Use body protection appropriate to task being performed. If necessary, refer to appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards.

## 9. PHYSICAL and CHEMICAL PROPERTIES

**APPEARANCE (Physical State) and COLOR:** This product is a semi-transparent liquid with a slight solvent odor.

**ODOR:** Slight

**ODOR THRESHOLD:** Not Available

**pH:** Not Available

**MELTING/FREEZING POINT:** Not Available

**BOILING POINT:** Not Available

**FLASH POINT:** >172.4°F (>78°C)

**EVAPORATION RATE (n-BuAc=1):** Not Available

**FLAMMABILITY (SOLID, GAS):** Not Applicable

**UPPER/LOWER FLAMMABILITY OR EXPLOSION LIMITS:** Not Available

**VAPOR PRESSURE (mm Hg @ 20°C (68 F):** Not Available

**WEIGHT PER GALLON:** Not Available

**VAPOR DENSITY:** Not Available

**SPECIFIC GRAVITY:** 1.09 @ 25°C

**SOLUBILITY IN WATER:** Insoluble



**PARTITION COEFFICIENT (n-octanol/water):** Not Available  
**AUTO-IGNITION TEMPERATURE:** Not Available  
**DECOMPOSITION TEMPERATURE:** Not Available  
**VISCOSITY:** 900 Centipoise

## 10. STABILITY and REACTIVITY

**STABILITY:** Stable under conditions of normal storage and use.  
**HAZARDOUS DECOMPOSITION PRODUCTS:** Thermal decomposition products include oxides of carbon and possible harmful vapors.  
**MATERIALS WITH WHICH SUBSTANCE IS INCOMPATIBLE:** Strong oxidizing materials, strong acids and excessive heat.  
**POSSIBILITY OF HAZARDOUS REACTIONS:** Will not occur.  
**CONDITIONS TO AVOID:** Incompatible materials and ignition sources.

## 11. TOXICOLOGICAL INFORMATION

### TOXICITY DATA:

Chemical Name	CAS#	Oral LD50	Dermal LD50	Inhalation LC50
Polyester Polyurea Resin	136210-30-5	No Data Available	No Data Available	No Data Available
Bis(4-(1,2-bis(ethoxycarbonyl)ethylamino)-3-methylcyclohexyl)methane	136210-32-7	No Data Available	No Data Available	No Data Available
1-Chloro-4-(Trifluoromethyl)Benzene	98-56-6	13000 mg/kg	No Data Available	20000 mg/m <sup>3</sup>
Hydrogenated Polydecene	68037-01-4	No Data Available	No Data Available	No Data Available
Naphtha, Petroleum, Heavy Alkylate	64741-65-7	34,600 mg/kg	15,400 mg/kg	>3,684ppm/4H
<b>Acute Toxicity</b>	<b>Acute Toxicity Category 4 (Oral)</b>			
<b>Skin Corrosion / Irritation</b>	<b>Skin Irritant Category 2</b>			
<b>Serious Eye Damage / Irritation</b>	<b>Eye Irritant Category 2</b>			
<b>Respiratory or Skin Sensitization</b>	<b>Skin Sensitization Category 1, Respiratory Sensitizer Category 1</b>			
<b>Germ Cell Mutagenicity</b>	<b>Germ Cell Mutagenicity Category 1B</b>			
<b>Carcinogenicity</b>	<b>Carcinogenicity Category 1B</b>			
<b>Reproductive Toxicity</b>	<b>Based on available data, the classification criteria are not met</b>			
<b>STOT – Single Exposure</b>	<b>STOT SE Category 3</b>			
<b>STOT – Repeated Exposure</b>	<b>Based on available data, the classification criteria are not met</b>			
<b>Aspiration Hazard</b>	<b>Based on available data, the classification criteria are not met</b>			

**SUSPECTED CANCER AGENT:** Ingredients within this product are found on the following lists: FEDERAL OSHA Z LIST, NTP, IARC, or CAL/OSHA and therefore are considered to be, or suspected to be, cancer-causing agents by these agencies.

CAS# 64741-65-7 – IARC: Group 2B Possibly carcinogenic to humans

**IRRITANCY OF PRODUCT:** Exposure to this product may cause skin, eye and respiratory irritation.

**SENSITIZATION TO THE PRODUCT:** This product contains ingredients that may cause skin and respiratory sensitization.

**REPRODUCTIVE TOXICITY INFORMATION:** No current data concerning the effects of this product and its components on the human reproductive system are available.

## 12. ECOLOGICAL INFORMATION

ALL WORK PRACTICES MUST BE AIMED AT ELIMINATING ENVIRONMENTAL CONTAMINATION.

**ENVIRONMENTAL STABILITY:** No specific data available on this product.

**CHEMICAL EFFECT ON PLANTS, ANIMALS AND AQUATIC LIFE:** This product may cause harm to plants, animals or aquatic life.

**WATER ENDANGERMENT CLASS:** Water endangering in accordance with EU Guideline 91/155-EWG – Not Determined.

**SPECIFIC AVAILABLE COMPONENT INFORMATION:** No additional data available at this time.



### 13. DISPOSAL CONSIDERATIONS

**PREPARING WASTES FOR DISPOSAL:** Waste disposal must be in accordance with appropriate U.S. Federal, State, and local regulations, those of Canada, Australia, EU Member States and Japan.

**EU Waste Code:** Not determined

### 14. TRANSPORTATION INFORMATION

**U.S. DEPARTMENT OF TRANSPORTATION (DOT) SHIPPING REGULATIONS:** This product is classified (per 49 CFR 172.101) by the U.S. Department of Transportation, as follows.

**NOTE: Non-bulk containers (≤ 119 Gallons/450L) can be shipped via road or rail within the U.S. as a Non-Regulated Material per 49CFR173.120 (A flammable liquid with a flash point at or above 38 °C (100 °F) that does not meet the definition of any other hazard class may be reclassified as a combustible liquid. This provision does not apply to transportation by vessel or aircraft)**

**BULK SHIPMENTS:**

**PROPER SHIPPING NAME:** Combustible liquid, n.o.s.

**HAZARD CLASS NUMBER and DESCRIPTION:** Combustible Class 3

**UN IDENTIFICATION NUMBER:** NA1993

**PACKING GROUP:** III

**DOT LABEL(S) REQUIRED:** Flammable

**NORTH AMERICAN EMERGENCY RESPONSE GUIDEBOOK NUMBER:** 128

**RQ QUANTITY:** None

**MARINE POLLUTANT:** The components of this product are not designated by the Department of Transportation to be Marine Pollutants (49 CFR 172.101, Appendix B).

**INTERNATIONAL AIR TRANSPORT ASSOCIATION SHIPPING INFORMATION (IATA):** This product is considered as dangerous goods.

**INTERNATIONAL MARITIME ORGANIZATION SHIPPING INFORMATION (IMO):** This product is considered as dangerous goods.

**EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD (ADR):** This product is considered by the United Nations Economic Commission for Europe to be dangerous goods.

### 15. REGULATORY INFORMATION

**UNITED STATES REGULATIONS:**

**U.S. SARA REPORTING REQUIREMENTS:** The components of this product are subject to the reporting requirements of Sections 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act as follows: None

**U.S. SARA THRESHOLD PLANNING QUANTITY:** There are no specific Threshold Planning Quantities for the components of this product. The default Federal SDS submission and inventory requirement filing threshold of 10,000 lbs (4,540 kg) therefore applies, per 40 CFR 370.20.

**U.S. CERCLA REPORTABLE QUANTITY (RQ):** None

**U.S. TSCA INVENTORY STATUS:** The components of this product are listed on the TSCA Inventory or are exempted from listing.

**OTHER U.S. FEDERAL REGULATIONS:** None

**CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT (PROPOSITION 65):** Ingredients within this product are not on the Proposition 65 Lists.

**CANADIAN REGULATIONS:**

**CANADIAN DSL/NDL INVENTORY STATUS:** The components of this product are on the DSL Inventory, or are exempted from listing.

**OTHER CANADIAN REGULATIONS:** Not applicable.

**CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) PRIORITIES SUBSTANCES LISTS:**

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all of the information required by those regulations.

**CANADIAN WHMIS CLASSIFICATION and SYMBOLS:** Complies with WHMIS 2015

**EUROPEAN ECONOMIC COMMUNITY INFORMATION:**

This product does meet the definition of a hazardous substance or preparation as defined by the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives.

See Section 2 for Details

**AUSTRALIAN INFORMATION FOR PRODUCT:** The components of this product are listed on the International Chemical Inventory list.



**JAPANESE MINISTER OF INTERNATIONAL TRADE AND INDUSTRY (MITI) STATUS:** The components of this product are not listed as Class I Specified Chemical Substances, Class II Specified Chemical Substances, or Designated Chemical Substances by the Japanese MITI.

**JAPANESE ENCS INVENTORY:** The components of this product are on the ENCS Inventory as indicated in the section on International Chemical Inventories, below.

**POISONOUS AND DELETERIOUS SUBSTANCES CONTROL LAW:** No component of this product is a listed Specified Poisonous Substance under the Poisonous and Deleterious Substances Control Law.

## 16. OTHER INFORMATION

### **ABBREVIATIONS AND ACRONYMS:**

EPA: United States Environmental Protection Agency

ARD: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

**PREPARED BY:** Paul Eigbrett – (**GHS MSDS Compliance PLUS**)

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of the need that information is current, applicable and suited to the circumstances of use. Bayvex Technologies assumes no responsibility for injury to vendee or third party person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, Bayvex Technologies assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed.

**END OF SDS SHEET**